L Number	Hits	Search Text	DB	Time stamp
2	1049	(satellite and (wan or internet)).ab. and @ad <= "20000721"	USPAT;	2004/10/14 16:31
2	1019	(Satcliffe and (Wall of Method)).ab. and @dd <- 20000721	US-PGPUB; EPO; JPO; DERWENT;	200 17 10/11 10:31
			IBM_TDB	
4	112	(satellite and (wan or internet)).ab. and @ad <= "20000721"	USPAT	2004/10/14 16:32
5	4	(satellite and (wan or internet) and proxy).ab. and @ad <= "20000721"	USPAT	2004/10/14 16:32
-	2	("20020016851").PN.	USPAT; US-PGPUB;	2004/10/14 14:47
			EPO; JPO; DERWENT;	
			IBM_TDB	,
-	16	spoofing adj module	USPAT;	2004/10/13 16:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/40/44 42 00
-	10	(spoofing adj module) and @ad <= "20000721"	USPAT;	2004/10/14 13:08
			US-PGPUB;	
	÷	,	EPO; JPO;	
			DERWENT;	
	0	((module with (multiplex near3 connections)) and @ad <=	IBM_TDB USPAT;	2004/10/13 17:02
-	0	"20000721") and (prox\$3 or firewall).ab.	US-PGPUB;	2004/10/13 17.02
1		20000721) and (prox\$3 or niewan).au.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	((module with (multiplex near3 connections)) and @ad <=	USPAT;	2004/10/13 17:02
	Ū	"20000721") and (prox\$3 or firewall) ti.	US-PGPUB;	200 1, 20, 20 27 102
		20000/22 / απα (μιολήσ οι πιοπαπ), απ	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	((module with (multiplex near3 connections)) and @ad <=	USPAT;	2004/10/13 17:02
		"20000721") and (prox\$3 or firewall)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	40		IBM_TDB	2004/40/42 47 22
-	49	(module with (multiplex near3 connections)) and @ad <=	USPAT;	2004/10/13 17:33
		"20000721"	US-PGPUB;	
,			EPO; JPO; DERWENT;	
			IBM_TDB	,
_ ,	11	((module with (multiplex near3 connections)) and @ad <=	USPAT;	2004/10/13 17:48
		"20000721") and priorit\$4	US-PGPUB;	
		· / · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(prioritization adj module) with (prox\$4 or firewall)	USPAT;	2004/10/13 17:48
			US-PGPUB;	
			EPO; JPO;	
,			DERWENT;	
	_	() 11 11 17 - 15 1 11 1	IBM_TDB	2004/10/12 17 12
-	0	(priorit\$7 adj module) with (prox\$4 or firewall)	USPAT;	2004/10/13 17:48
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	5	(priorit\$7 near3 module) with (prox\$4 or firewall)	USPAT;	2004/10/13 17:48
-	3	(huoura) Hears module) with (hioxa4 or mewall)	US-PGPUB;	2007/10/13 17.48
	•		EPO; JPO;	
· I		1	L. O, J. O,	i .
			DERWENT;	

-	43	(WAN near3 satellite).ab.	USPAT;	2004/10/14 13:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT,	·
			IBM_TDB	
-	20	((WAN near3 satellite).ab.) and @ad <= "20000721"	USPAT;	2004/10/14 14:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		· • • • • • • • • • • • • • • • • • • •	IBM_TDB	·
-	186	(WAN near3 satellite) and tcp/ip	USPAT;	2004/10/14 13:09
,			US-PGPUB;	
			EPO; JPO;	
-			DERWENT;	
			IBM_TDB	
_	33	(/WAN poers catallita) and tan/in) and @ad <= "20000721"	_	2004/10/14 13:21
	33	((WAN near3 satellite) and tcp/ip) and @ad <= "20000721"	USPAT;	2004/10/14 13:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(mouthingless many 2 are monthing a) and	IBM_TDB	2004/10/11 12 22
-	14	(multiplex near3 connections) and	USPAT;	2004/10/14 13:22
		(priorit\$4 near3 access) and	US-PGPUB;	
		(path near3 selection)	EPO; JPO;	
-		·	DERWENT;	
			IBM_TDB	
-	0	((multiplex near3 connections) and	USPAT;	2004/10/14 13:22
		(priorit\$4 near3 access) and	US-PGPUB;	
		(path near3 selection)	EPO; JPO;	
) and @ad <= "20000721"	DERWENT;	
			IBM_TDB	
-	14	(multiplex near3 connections) and (priorit\$4 near3 access) and	USPAT;	2004/10/14 13:40
		(path near3 selection)	US-PGPUB;	' '
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	30	(multiplex near3 connections) and (priorit\$4 near3 access)	USPAT;	2004/10/14 13:22
		, and the same of	US-PGPUB;	,,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5	((multiplex near3 connections) and (priorit\$4 near3 access)) and	USPAT;	2004/10/14 13:38
		@ad <= "20000721"	US-PGPUB;	2007/10/17 13:30
		- 20000/21	EPO; JPO;	
			DERWENT;	
	·	,	,	
	201	(priorit\$4 pears access) and (nath nears colortion)	IBM_TDB	2004/10/14 12:40
-	201	(priorit\$4 near3 access) and (path near3 selection)	USPAT;	2004/10/14 13:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	144	((priorit\$4 near3 access) and (path near3 selection)	USPAT;	2004/10/14 13:40
) and @ad <= "20000721"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	111	(multiplex) and (priorit\$4 near3 access) and (path near3 selection)	USPAT;	2004/10/14 13:40
		<u> </u>	US-PGPUB;	
			EPO; JPO;	
1 .			DERWENT;	
			IBM_TDB	
L	L	I	100	

394 ((multiplexy2) and (priorits4 near3 access) and (path near3 SPAT;	Tkr		·		
114 ((multiplex\$2) and (priorit\$4 near3 access) and (path near3 selection) and @ad <= "20000721" 2004/10/14 14:12 2004/10/14 14:12 2004/10/14 14:12 2004/10/14 14:12 2004/10/14 14:13 2004/10/14 14:12 2004/10/14 14:13 200	-	94			2004/10/14 14:11
114					
114			7 3110 300 1 20000, 21		
114 ((multiplex\$2) and (priorit\$4 near3 access) and (path near3 selection) and @ad <= "20000721" ((multiplex\$2) and (priorit\$4 near3 access) and (path near3 selection) and @ad <= "20000721") and (prox\$3 or firewall).ab. USPAT; USPCPUB; EPC; JPO; DERWENT; IBM_TDB USPAT; USPCPUB; EPC; JPO; DERWENT; USPCPUB; EPC; JPO; DER					
Selection Sele	_	114	((multipley\$2) and (priorit\$4 pear3 access) and (path near3		2004/10/14 14:12
and @ad <= "20000721" EPC; JPC; DERWENT; IBM_TDB USPAT; USPAC; USPAC					
Comparison Com				EPO: JPO:	
-) and @dd (= 20000721		
- 0 ((((multiplex\$2) and (priorit\$4 near3 access) and (path near3 selection) and @ad <= "20000721") and (prox\$3 or firewall).ab. USPAT; USPGPUB; PEO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; PEO; JPO; DERWENT; USPGPUB; PEO; JPO; DERWENT; USPGPUB; PEO; JPO; DERWENT; USPGPUB; PEO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; P					
Selection and @ad <= "20000721") and (prox\$3 or firewall).ab. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	_	0	(((multipley\$2) and (priorit\$4 near3 access) and (path near3		2004/10/14 14:13
1					2001, 20, 21, 21, 20
DEWENT; SEMEWANT; SEMEWA					
Comparison of the comparison			y and Gad to 20000/22 y and (p.o.tyo or morrow).		
-					
Selection Sele	1_	۸ ا	(((multipley\$2) and (priorit\$4 pear3 access) and (path pear3		2004/10/14 14:12
and @ad <= "20000721") and (prox\$3 or firewall).ti. ERO; JPO; SPEWENT; IBM_TDB USPAT; SPEQUB; ERO; JPO; DERWENT; IBM_TDB USPAT; USPEQUB; ERO; JPO; DERWENT; USPEQUB; ERO; JPO; JPO; DE					
- 0 ((((multiplex\$2) and (priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721" and (prox\$3 or firewall)					
Selection Comparison of the comparison of th) and wad 1 20000/21) and (prosign or more anythin		
- 10					
Selection	_	n	(((multiplex\$2) and (priorit\$4 pear3 access) and (path pear3		2004/10/14 14:12
and @ad <= "20000721" and (prox\$3 or firewall)					200 1, 20, 2 1 2 1122
- 144 ((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721"					
- 144 ((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and wad to 20000721) and (prosept or moreary)		
- 144 ((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721"	Ì				
"20000721" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPU	_	144	((priorit\$4 pear3 access) and (path pear3 selection)) and @ad <=		2004/10/14 14:13
- 0 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and (prox\$3 or firewall).ab. - 60 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and module - 10 owner adj specific adj header - 11 owner adj specific adj header - 244 ((satellite and header).ab.) and @ad <= "20000721" - 78074 direction near3 field - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field)		1			200 1, 10, 11 1 1115
- 0 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and (prox\$3 or firewall).ab.			25000721		,
-					
- 0 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and (prox\$3 or firewall).ab. - 60 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and module - 10 owner adj specific adj header - 244 (((satellite and header).ab.) and @ad <= "20000721" - 78074 direction near3 field (direction near3 field) and (handle near3 field) - 105 (direction near3 field) and (handle near3 field) - 105 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	1				1. 1
- 60 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and module	_	l n	(((priorit\$4 pear3 access) and (path pear3 selection)) and @ad		2004/10/14 14:13
FPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO	-				200 1, 10, 11 1 1115
- 60 ((((priorit\$4 near3 access) and (path near3 selection)) and @ad	1		20000721) und (proxes of mervan) abs		
- 60 (((priorit\$4 near3 access) and (path near3 selection)) and @ad <= "20000721") and module - "20000721" USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERW	'				
- 60 (((priorit\$4 near3 access) and (path near3 selection)) and @ad					
Care Company	_	60	(((priorit\$4 near3 access) and (path near3 selection)) and @ad		2004/10/14 14:14
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT, IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US				,	',, - : - : - :
- 1 owner adj specific adj header	1				
- 1 owner adj specific adj header IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
- 244 ((satellite and header).ab.) and @ad <= "20000721" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; JPO; JPO; DERWENT; JPO; JPO; DERWENT; JPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISP-PGPUB; EPO; JPO; DERWENT; ISP-PGPUB; EPO; JPO; DERWENT; ISP-PGPUB;	-	1	owner adj specific adj header		2004/10/14 14:48
- 244 ((satellite and header).ab.) and @ad <= "20000721"	1				
- 244 ((satellite and header).ab.) and @ad <= "20000721"					
TBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 244 ((satellite and header).ab.) and @ad <= "20000721" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USP	-	244	((satellite and header).ab.) and @ad <= "20000721"		2004/10/14 15:00
FPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 78074 direction near3 field USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 105 (direction near3 field) and (handle near3 field) USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 78074 direction near3 field USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DEPO; DEPO; DEPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 78074 direction near3 field USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	78074	direction near3 field		2004/10/14 14:59
EPO; JPO; DERWENT; IBM_TDB - 105 (direction near3 field) and (handle near3 field) USPAT; US-PGPUB; EPO; JPO; DERWENT;					
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT;					
- 105 (direction near3 field) and (handle near3 field) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 105 (direction near3 field) and (handle near3 field) USPAT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT;	-	105	(direction near3 field) and (handle near3 field)		2004/10/14 15:00
EPO; JPO; DERWENT;					
DERWENT;					
				IBM_TDB_	

		(divartion = 222 6-14) = 4 (b-14) = 226-14 = 226-14	LICDAT	2004/40/44 45:00
-	1	(direction near3 field) and (handle near3 field near3 backbone)	USPAT;	2004/10/14 15:00
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	35	(direction near3 field) and (handle near3 field) and network	USPAT;	2004/10/14 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
_	12	(direction near3 field) and (handle near3 field) and network and	USPAT;	2004/10/14 15:00
		header	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6	((direction near3 field) and (handle near3 field) and network and	USPAT;	2004/10/14 16:30
		header) and @ad <= "20000721"	US-PGPUB;	2007/10/17 10.30
		incade) and wad \= 20000721	EPO; JPO;	
			DERWENT;	•
			IBM_TDB	